




Transvaal Rubber Company



Truco stocks and supplies a range of small bore PVC hose for long-lasting performance in low and high-pressure applications. As a cost-effective and versatile alternative to rubber, our PVC hose range is the ideal choice for industrial, construction, agricultural, chemical and wastewater treatment use.

Small Bore PVC Hose - Industrial & Agricultural



TruClear PVC Hose

The TruClear PVC Hose is ideal for low pressure air and water applications, such as fish tanks and pond pumps.

- Thin wall and thick wall constructions
- Temperature range: -20 to 60° C
- Available sizes from 6 to 50 mm in diameter
- Available in 30 m rolls



Clear Reinforced PVC Hose

The Clear Reinforced PVC Hose is ideal for use in industrial plant environments, and is particularly suited for air and water applications. Blue-braided Fuel Hose also available.

- Reinforced with multiple cords of synthetic yarn
- Temperature range: -20 to 60° C
- Available sizes from 6 to 50 mm in diameter
- Available in 30 m rolls



Multi-purpose Hose

The Multi-purpose Hose, with nominal bore sizes ranging from 6 to 25 mm, is suitable for a wide range of applications, including: mining, agriculture, construction. This 20 bar rated Multi-purpose Hose provides long-lasting performance in general air and water applications where oil may be present.

- Black PVC liner
- Woven polyester yarn reinforcement
- Black PVC / NBR cover
- Temperature range: -20° to 60° C
- Available with a range of couplings
- Available in 30 m rolls



Truco-Steel Clear PVC Suction Hose (with Wire Helix)

The Truco-Steel Clear PVC Hose is reinforced with a high-tensile steel wire helix, providing an ideal solution for suction and delivery applications where the conveyed media can be seen inside the hose.

- Wire helix reinforced to ensure structural integrity in suction applications
- Temperature range: -20 to 60° C
- Available sizes from 12 to 102 mm in diameter
- Available in 30 m rolls
- Not suitable for food or dairy products



Yellow PVC Suction and Delivery Hose

The Yellow PVC Suction and Delivery Hose is a medium-duty hose that is commonly used in industrial plant applications. Light duty option also available.

- Reinforced with a polypropylene helix
- UV-resistant cover
- Temperature range: -20 to 60° C
- Vacuum capabilities of -80 kPa
- Available sizes from 25 to 152 mm in diameter
- Available in 30 m rolls



Green HD PVC Suction and Delivery Hose

The Green HD PVC Suction and Delivery Hose provides heavy-duty suction and delivery, withstanding 90 kPa vacuum. It is recommended for dewatering applications.

- Reinforced with a polypropylene helix
- UV-resistant cover
- Temperature range: -20 to 60° C
- Available sizes from 50 to 152 mm in diameter
- Available in 30 m rolls



High Pressure Crop Spray PVC Hose

The High Pressure Crop Spray PVC Hose is used to spray pesticides and light chemicals at a high pressure. It is also suitable for pneumatic tools and compressed air line applications, with a working pressure of 4 000 kPa.

- Double-ply woven polyester yarn reinforced
- UV-resistant cover
- 4 000 kPa working pressure
- Temperature range: -20 to 60° C
- Available sizes include 10 and 12 mm, 20 and 25 mm
- Available in 30 m rolls



Couplings

Truco's entire range of PVC Hoses is available with a range of Storz, Camlock and Claw Couplings that are manufactured to the highest European standards within the compressed air industry – facilitating fast and secure coupling and decoupling of all PVC Hoses.

- Mild steel, malleable iron, stainless steel, aluminium or brass construction
- Male and female BSP threading
- Two-piece hose clamps available
- Interchangeable with other couplings of similar style
- Immediate stock availability



Truco stocks an extensive range of Layflat Hoses ideal for all dewatering and irrigation purposes. Available from a light-duty 3 bar working pressure up to 21 bar working pressure where a heavier duty and more durable hose is required.

- Immediate stock availability
- Available sizes ranging from 25 to 200 mm
- Maximum working pressure: 21 bar
- Smooth, ribbed and UV-resistant covers
- Available in 100 m rolls



Blue PVC Layflat Hose

Light-duty, lightweight Blue PVC Layflat Hose that is suitable for dewatering, irrigation and other similar water pumping applications.

- Available sizes ranging from 25 to 150 mm in diameter
- Burst pressure up to 900 kPa



Red and Yellow PVC

Medium-duty Red and Yellow PVC Layflat Hoses are ideal for irrigation and dewatering in applications where higher water pressure and increased durability is required.

- Available sizes ranging from 40 to 200 mm in diameter
- Red burst pressure up to 1 800 kPa
- Yellow burst pressure up to 2 400 kPa



Black PVC Layflat Hose

Heavy-duty Black PVC Layflat Hoses are designed to operate at high pressures for long periods of time. Tailored for use in applications where a more rugged and high-pressure hose is required, the outer cover is ribbed to minimise scuffing.

- Available sizes ranging from 40 to 150 mm in diameter
- Burst pressure up to 6 000 kPa



Yellow Rubber Compressor Air Hoses

Yellow Rubber Compressor Air Hoses have a 20 bar working pressure and feature a UV-resistant nitrile cover. They are designed to convey compressed air at high pressures under rugged conditions and at elevated temperatures.

- Available sizes include 20, 25 and 50 mm in diameter
- Burst pressure up to 8 000 kPa
- Available in 50 m rolls